



Hichrom Limited

Experts in Chromatography

CHROMATOGRAPHY RANGES ACQUIRED FROM GRACE

Manufactured by Hichrom in the UK

Vydac | Alltima | Alltima HP | Apex | Apollo | Allsep | Genesis | Prevail



BGB GC | LC
MS | CE



HICHROM LIMITED

Experts in Chromatography

Hichrom aims to supply the highest quality HPLC columns and consumable products to the chromatography industry. The high quality of our service extends not only to the product itself, but our technical consultancy and after-sales service. We aspire to achieve complete customer satisfaction and make a meaningful contribution to the future of the life science and related chemical industries.

Based in the UK and founded in 1978, Hichrom (a VWR company since 2015) is dedicated to supplying the highest quality HPLC/UHPLC columns and other chromatography products to the scientific community. As a global leader in liquid chromatography column manufacturing, we have gained an unrivalled reputation for high quality, competitively priced products, and fast delivery – backed up by expert technical support and after-sales service.

Our extensive worldwide network of distributors supplies Hichrom columns to over 100 countries.

We are excited to combine our considerable manufacturing experience with the technical expertise we have honed through our years of distributing these product ranges. We aim to provide our customers with an unprecedented high quality of service when aiding them with their separations.

VYDAC®, ALLTIMA®, ALLTIMA® HP, PREVAIL™, APOLLO™, ALLSEP®, APEX™, and GENESIS™ HPLC Column Ranges Acquired by Hichrom Limited

Dear Customer,

Hichrom Limited are pleased to announce we have acquired the worldwide exclusive rights to manufacture Vydac®, Alltima®, Alltima® HP, Prevail™, Apollo™, Allsep®, Apex™, and Genesis™ analytical HPLC column ranges from Grace.

Based in the UK, Hichrom are a leading European manufacturer and distributor of UHPLC and HPLC columns, consumables and media, with manufacturing facilities accredited to both ISO9001 (Quality) and ISO14001 (Environmental) standards.

Hichrom have now commenced manufacture of these columns to the same exacting manufacturing protocols and to identical specifications previously used by Grace/Alltech. Part numbers also remain unaffected by the acquisition.

Under the terms of the acquisition, the complete range of these products are now exclusively available from Hichrom and our global distributor network, and are no longer available directly from Grace.

For further information or assistance, please contact Hichrom directly by one of the following options:

Phone: +44 (0) 118 930 3660

Fax: +44 (0) 118 932 3484

Email: sales@hichrom.co.uk

Web: www.hichrom.co.uk



Hichrom-manufactured columns

High quality. Assured.

We guarantee that any HPLC/UHPLC columns manufactured by Hichrom will be of the highest quality. All Hichrom manufactured goods are under warranty against defects in material or workmanship. We will promptly replace any such goods unless the defects are attributed to customer misuse.

Hichrom aims to supply the highest quality products in the chromatography industry. Since 1995, Hichrom has been an ISO9001 accredited company. Each column is supplied with documentation enabling a full audit trail to be performed from the point of manufacture to the point of use.



Reproducible. Reliable.

By purchasing raw materials in as large a batch as possible and checking selectively where appropriate, Hichrom endeavours to minimise batch variation, enabling your chromatography to be reproducible and reliable. We are also happy to supply columns from customer specified batches of packing material.

Green. Responsible.

We also aim to minimise our impact on the environment. Hichrom was the first chromatography company to become an ISO14001 accredited company in 1996.



Technical Support Services

Hichrom offers a range of high quality technical support services for free, delivered by our experienced and knowledgeable team, including:

- Column selection guidance
- Column lifetime advice
- Application support – including examples from our extensive applications database
- Method development and optimization strategy
- Batch reservation service

For more information on the services we can offer, please contact technical@hichrom.co.uk and we will be happy to help!



Contents

USP Listings	5
Alltima®	6
Alltima® HP	8
Apex™	10
Apollo™	11
Genesis™	12
Prevail™	14
Ion Chromatography (including Allsep®).....	16
Vydac®	18
Vydac TP.....	18
Vydac MS	21
Vydac Everest.....	24
Vydac Denali.....	25
Vydac 302IC	26
Guard Cartridge Systems.....	27
Other former Grace HPLC columns	27

For information on any product not mentioned above or for application advice and guidance, please contact our experienced and knowledgeable technical team at **technical@hichrom.co.uk** or **+44 (0)118 930 3660**.

USP Listings

The following list of USP (United States Pharmacopoeia) column specifications includes the recommended columns contained in this catalogue within each category. Please contact us for advice on column selection by USP specification.

USP Code	Definition	Columns
L1	Octadecylsilane chemically bonded to porous or non-porous silica or ceramic micro-particles, 1.5 to 10 µm in diameter, or a monolithic rod	Alltima C18 Alltima C18-LL Alltima HP C18 Alltima HP C18-EPS Alltima HP C18-AQ Alltima HP C18-Amide Alltima HP C18-HiLoad Apex ODS Apollo C18 Genesis AQ Genesis C18 Prevail C18 Prevail C18-Select Vydac 218TP Vydac 238TP Vydac 201TP Vydac 202TP Vydac 218MS Vydac 238MS Vydac Denali 238DE Vydac Everest 238EV
L3	Porous silica particles, 1.5 to 10 µm in diameter, or a monolithic silica rod	Alltima Silica Alltima HP Silica Alltima HP HILIC Apex Silica Apollo Silica Genesis Silica Prevail Silica
L7	Octylsilane chemically bonded to totally or superficially porous silica particles, 1.5 to 10 µm in diameter, or a monolithic silica rod	Alltima C8 Alltima HP C8 Apollo C8 Genesis C8 Genesis C8EC Prevail C8 Vydac 208TP Vydac 208MS
L8	An essentially monomolecular layer of aminopropylsilane chemically bonded to totally porous silica gel support, 1.5 to 10 µm in diameter, or a monolithic silica rod	Alltima Amino Apex II Amino Prevail Amino
L10	Nitrile groups chemically bonded to porous silica particles, 1.5 to 10 µm in diameter, or a monolithic silica rod	Alltima Cyano Alltima HP Cyano Genesis Cyano Prevail Cyano
L11	Phenyl groups chemically bonded to porous silica particles, 1.5 to 10 µm in diameter, or a monolithic silica rod	Alltima Phenyl Apollo Phenyl Genesis Phenyl Prevail Phenyl Vydac 219TP
L17	Strong cation-exchange resin consisting of sulfonated cross-linked styrene-divinylbenzene copolymer in the hydrogen form, 6 to 12 µm in diameter	Organic Acid OA-1000 Organic Acid OA-2000 Organic Acid IOA-1000 Organic Acid IOA-2000
L19	Strong cation-exchange resin consisting of sulfonated cross-linked styrene-divinylbenzene copolymer in the calcium form, 5 – 15 µm in diameter	Carbohydrate Cation
L22	A cation-exchange resin made of porous polystyrene gel with sulfonic acid groups, 5 – 15 µm in diameter	Anion Exclusion
L23	An anion-exchange resin made of porous polymethacrylate or polyacrylate gel with quaternary ammonium groups, 7 - 12 µm in diameter	Allsep Anion
L26	Butyl silane chemically bonded to totally porous or superficially porous silica particles, 1.5 to 10 µm in diameter	Vydac 214TP Vydac 214ATP Vydac 214MS

Please contact technical@hichrom.co.uk for advice on column selection from EP (European Pharmacopoeia) and JP (Japanese Pharmacopoeia) guidelines, or by application.



Alltima

The Alltima HPLC column range was developed by Alltech. Hichrom acquired the entire range from Grace. Alltima phases are acid and base-deactivated, giving excellent peak shape for acids, bases, and neutrals in a single run. Polymerically bonded and double-encapped for long column lifetimes, Alltima columns are great general purpose "workhorse" columns.

Key Features

- Base deactivated silica
- Stable bonding for long column lifetime
- Symmetrical peak shape

Alltima Phase Specifications

Phase	Particle size / μm	Endcapped?	Properties	Applications	USP Code
C18	3, 5, 10	Yes	Classic reversed-phase retention and selectivity	High quality hydrophobic general purpose C18	L1
C18-LL	5	Yes	Lower carbon load than traditional Alltima C18	Reversed-phase applications that require a less hydrophobic C18 phase	L1
C8	3, 5	Yes	Lower retention compared to C18 phases	Reversed-phase applications where C18 is too retentive	L7
Amino	3, 5	No	General purpose amino suitable for normal or reversed-phase use	Use for carbohydrate analysis or as a weak anion exchanger	L8
Cyano	3, 5	Yes	General purpose cyano suitable for normal or reversed-phase use	Rugged normal-phase applications	L10
Phenyl	3, 5	Yes	Less hydrophobic than C18 phase	Selective to aromatic compounds	L11
Silica	3, 5, 10	-	Highly polar phase	General purpose normal phase applications	L3

Ordering Information

Analytical Columns

3 μm

Length / mm	20		50		100		
	2.1	4.6	2.1	4.6	1.0	2.1	4.6
C18	43803	43851	88353	81412	43853	88352	81382
C8	-	-	-	81413	-	-	81392
Amino	-	-	-	81180	-	-	81183
Cyano	-	-	-	81179	-	-	81182
Phenyl	-	-	-	81178	-	-	81181
Silica	-	-	-	81414	-	-	81404

Length / mm	150			250	Guard cartridges (3/pk) ¹
	2.1	3.0	4.6	4.6	For 2.1
C18	43852	81143	81387	AL-3C18-25046	96681/N
C8	-	-	81397	-	-
Amino	AL-3NH-150DK ²	-	81190	-	-
Cyano	-	-	81189	-	-
Phenyl	43813	-	81188	-	-
Silica	43884	-	81409	-	-

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081). ²Actual dimensions: 150 x 2.0 mm

3 μm – Columns Compatible with Waters Instruments

Length / mm	100	150
C18	81383	81388
C8	81393	81398
Silica	81405	81410

3 μm – Rocket Columns

Rocket columns are specifically designed for high-throughput and high-speed methods.

Length / mm	33	53
C18	50603	50605
C8	-	50609
Phenyl	-	43867
Silica	-	43877

Column: Alltima C8, 5 μm , 150 x 4.6 mm (*p/n* 88072)

Dimensions: 150 x 4.6 mm

Mobile phase: A: 0.05 M K_2HPO_4 , pH 3.3

B: Methanol

C: Acetonitrile

Time / min	0	2	5
% A	80	80	45
% B	10	10	30
% C	10	10	25

Flow rate: 2.0 mL min^{-1}

Detector: UV at 280 nm




Figure 1. Analgesics

5 µm

Length / mm	50		100		125	150		
i.d. / mm	2.1	4.6	3.0	4.6	4.0	2.1	3.0	4.6
C18	88888	88889	–	88059	AL-5C18-125DF	88370	81140	88052 ¹
C18-LL	–	–	–	–	–	88388	–	88069
C8	–	–	AL-5C8-100DT	–	–	88372	81146	88072
Amino	–	–	–	–	–	–	–	88205
Cyano	–	–	–	88065	–	–	–	88180
Phenyl	–	–	–	–	–	–	81147	88087
Silica	–	–	–	–	–	–	–	88123

¹Also available in PEEK metal-free hardware (88051).

Length / mm	250				300			Guard cartridges (3/pk) ¹	
i.d. / mm	2.1	3.0	4.0	4.6	3.9	4.0	4.6	For 2.1	For 3.0–4.6
C18	88371	81142	AL-5C18-250DF	88056 ²	AL-5C18-300DE	AL-5C18-300DF	AL-5C18-300D	96680/N ³	96361/N ⁴
C18-LL	88389	–	–	88099	–	–	–	96432/N	96285/N
C8	–	–	–	88076	–	–	–	96441/N	96362/N
Amino	–	–	AL-5NH-250DF	88217 ⁵	–	–	–	–	96085/N
Cyano	–	–	–	88189	–	–	–	–	96084/N
Phenyl	–	–	–	88092	AL-5PH-300DE	–	–	96442/N	96082/N
Silica	–	–	AL-5-250DF	88171	–	AL-5-300DF	–	96450/N	96083/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081). ²Also available in PEEK metal-free hardware (88055).

³Also available with 10/µk (5174010/N). ⁴Also available with 10/µk (96080SP/N). ⁵Also available with reversed-phase solvent (88217RP).

5 µm – Columns Compatible with Waters Instruments

Length / mm	150	250	Guard cartridges (3/pk) ¹
i.d. / mm	4.6	4.6	For 3.0-4.6
C18	88053	88057	96361/N
C8	88073	88077	96362/N
Amino	–	88218	96085/N
Cyano	88182	88191	96084/N
Phenyl	88088	88093	96082/N
Silica	–	88172	96083/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (Waters type column port: HI-881).

10 µm

Length / mm	150	250	300	
i.d. / mm	4.6	4.6	3.9	4.0
C18	88302	88307	AL-10C18-300DE	AL-10C18-300DF
Silica	–	88327	AL-10-300DE	–

88308 – Alltima C18, 10 µm, 250 x 4.6 mm (compatible with Waters instruments)

Method Validation Kits

Alltima C18 method validation kits containing 3 columns from 3 different silica batches are available for you to evaluate the robustness of your method to ensure reproducibility run after run.

11350 – Alltima C18, 3 µm, 100 x 4.6 mm

11541 – Alltima C18, 5 µm, 150 x 4.6 mm

11543 – Alltima C18, 5 µm, 250 x 4.6 mm

Semi-preparative and Preparative Columns

5 µm

Length / mm	150		250		Guard cartridges (3/pk) ¹
i.d. / mm	10	22	10	22	For 10–22
C18	81102	81106	88063	81105	AL-5C18-10CP2
C8	81109	–	88081	81110	–
Silica	81117	–	81116	81118	–

¹To be used with semi-prep guard holder (C-1000) and column coupler for All-Guard cartridges (HI-081).

10 µm

Length / mm	250		Guard column (33 x 7 mm)
i.d. / mm	10	22	
C18	88334	88335	970203
Silica	88338	88339	970204

Column: Alltima C18, 3 µm, 53 x 7 mm Rocket (*p/n:* 50605)


Mobile phase: A: 0.1 % Trifluoroacetic Acid in 0.025 M Ammonium Acetate
B: 0.1 % Trifluoroacetic Acid in Acetonitrile

Gradient:	Time / min	0	4
% A		80	5
% B		20	95

Flow rate: 3.5 mL min⁻¹

Detector: UV at 254 nm

1. Acetazolamide
2. Hydrochlorothiazide
3. Triamterene
4. Hydroflumethiazide
5. Clopamide
6. Trichloromethiazide
7. Indapamide
8. Bumetanide
9. Spironolactone





Alltima HP

The Alltima HP range of HPLC columns was developed by Alltech. Hichrom acquired this range from Grace. Alltima HP columns offer a range of different phase chemistries based on high purity silica. The Alltima HP product family combines the selectivity and performance needed to overcome the most challenging separation needs. The low column bleed makes these columns ideal for microbore applications.

Key Features

- High purity silica
- Excellent column stability
- Low to no detectable column bleed
- pH stability from 1 to 10
- Multiple selectivity options

Alltima HP Phase Specifications

Phase	Particle size / μm	Endcapped?	Properties	Applications	USP code
C18	3, 5	Yes	Classic reversed-phase retention and selectivity	Routine applications	L1
C18-EPS	3, 5	Yes	Greater retention and enhanced peak symmetry for polar compounds. Alternative selectivity to traditional reversed-phase	Reversed-phase applications where C18 is too retentive	L1
C18-HiLoad	3, 5	Yes	Highest carbon load for superior retention and loadability	High resolution for complex samples	L1
C18-AQ	3, 5	Yes	100% water wettable	Applications requiring high aqueous mobile phases	L1
C18-Amide	3, 5	Yes	Polar-embedded phase with extremely low bleed. Compatible with microbore	Basic compounds in neutral to alkaline pH, MS applications	L1
C8	3, 5	Yes	Lower retention compared to C18 phases	Reversed-phase applications where C18 is too retentive	L7
Cyano	3, 5	Yes	Extremely stable, long life and reproducible	Ideal for basic drug analysis	L10
Silica	3, 5	No	Highly polar phase	General purpose normal phase applications	L3
HILIC	3, 5	–	Hydrophilic Interaction Chromatography uses small amounts of water for increased sensitivity with microbore applications	Very polar analytes that are difficult to retain by reversed-phase	L3

Ordering Information

Capillary Columns

3 μm

Length / mm	50		100		150	
	0.15	0.3	0.15	0.3	0.15	0.3
C18	22153	22156	22154	22157	22155	22158
C18-HiLoad	22190	22193	22191	22194	22192	22195
C18-AQ	22560	22563	22561	22564	22562	22565
C18-Amide	22255	22258	22256	22259	22257	22260
C8	22479	22482	22480	22483	22481	22484
HILIC	22515	22518	22516	22519	22517	22520

5 μm

Length / mm	50		100		150		250
	0.15	0.3	0.15	0.3	0.15	0.3	0.3
C18	22124	22128	22125	22129	22126	22130	22131
C18-HiLoad	22169	22173	22170	22174	22171	22175	22176
C18-AQ	22531	22535	22532	22536	22533	22537	22538
C18-Amide	22236	22240	22237	22241	22238	22242	22243
C8	22460	22464	22461	22465	22462	22466	22467
HILIC	22496	22500	22497	22501	22498	22502	22503

Analytical Columns

3 μm

Length / mm	20		50	
i.d. / mm	2.1	4.6	2.1	4.6
C18	87674	87676	87504	87826
C18-EPS	87710	–	87508	87833
C18-HiLoad	87692	87694	87506	87827
C18-AQ	–	87816	–	87832
C18-Amide	87728	–	87510	87829
C8	87746	–	87512	–
Cyano	–	–	87514	87825
Silica	–	–	–	87831
HILIC	–	–	86461	–

Length / mm	100				150			
i.d. / mm	1.0	2.1	3.0	4.6	1.0	2.1	3.0	4.6
C18	22163	87669	87629	87667	22164	87670	87601	87668
C18-EPS	–	87705	–	87703	–	87706	87604	87704
C18-HiLoad	22230	87687	–	87685	22231	87688	87610	87686
C18-AQ	22570	87809	–	87807	22571	87810	–	87808
C18-Amide	22265	87723	–	87721	22266	87724	87607	87722
C8	22490	87741	–	87739	22491	87742	87613	87740
Cyano	–	–	–	–	–	87760	87616	87758
Silica	–	–	–	–	–	87788	87619	87786
HILIC	22525	–	–	–	22526	86463	–	86462

AHP-3C18H-250D – Alltima HP C18-HL, 3 μm , 250 x 4.6 mm

5 μm

Length / mm	50	100		150				250				Guard cartridges (3/pk) ¹	
i.d. / mm	4.6	1.0	2.1	1.0	2.1	3.0	4.6	1.0	2.1	3.0	4.6	For 2.1	For 3.0-4.6
C18	87643	22137	87665	22138	87681	87602	87679	22139	87682	87603	87680	87683/N	87684/N
C18-EPS	–	–	–	–	87717	–	87715	–	87718	87606	87716	87719/N	87623/N
C18-HiLoad	–	22183	–	22184	87699	87611	87697	22185	87700	87612	87698	87701/N	87624/N
C18-AQ	–	22544	–	22545	87821	–	87819	22546	87822	–	87820	87823/N	87824/N
C18-Amide	–	22249	–	22250	87735	87608	87733	22251	87736	87609	87734	87737/N	87625/N
C8	–	22473	–	22474	87753	87614	87751	22475	–	87615	87752	87755/N	87756/N
Cyano	–	–	–	–	87781	–	87769	–	–	87618	87780 ²	87783/N	87784/N
Silica	–	–	–	–	87799	87620	87797	–	87802	87621	87798	87803/N	87804/N
HILIC	–	22509	–	22510	86465	–	86464	22511	–	–	86466	86479/N	86480/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Also available with reversed-phase shipping solvent (87780R)

3 μm – Rocket Columns

Rocket columns are specifically designed for high-throughput and high-speed methods.

Length / mm	33	53
i.d. / mm	7	7
C18	87671	87672
C18-EPS	–	87708
C18-HiLoad	–	87690
C18-AQ	87811	87812
C8	–	87744
Cyano	87761	87762
Silica	87789	87790
HILIC	86469	86470

Column: Alltima HP C18-EPS, 5 μm , 150 x 4.6 mm (*p/n*: 87715)

Mobile phase: A: 0.03 M Potassium Phosphate, pH 3.2

B: Acetonitrile

Gradient:

Time / min	0	2	20
% A	95	95	70
% B	5	5	30

Flow rate: 1.0 mL min⁻¹

Detector: UV at 260 nm




Figure 3. Nucleosides



Apex

Apex was originally developed by Jones Chromatography. This range was acquired by Hichrom from Grace. Apex are an economical range of columns manufactured using traditional silica. These columns are recommended for routine analysis and legacy methods.

Key Features

- Conventional 100 Å pore size spherical silica
- Narrow particle size distribution
- Controlled surface area

Apex and Apex II Specifications

Phase	Particle size / μm	Endcapped?	USP code
Apex ODS	5, 10	Yes	L1
Apex Silica	3, 5	—	L3
Apex II Amino	3	No	L8

Ordering Information

Analytical Columns

3 μm

Length / mm	150
i.d. / mm	4.6
Apex Silica	4M15303
Apex II Amino	4M15344

5 μm

Length / mm	30	50	100	150	250	Guard cartridges (3/pk) ¹
i.d. / mm	4.6	4.6	4.6	4.6	4.6	For 3.0-4.6
ODS	4M3310P	4M5310	4M10310	4M15310	4M25310	FH1310-2/N
Silica	—	—	—	—	4M25300	FH1300-2/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

10 μm

Length / mm	50	150
i.d. / mm	4.6	4.6
ODS	4M5310	4M15311





Originally an Alltech brand, Hichrom acquired the Apollo range of HPLC columns from Grace. Apollo HPLC columns are based on high purity, base deactivated silica for powerful separations at an economical price. They are ideal for routine analysis in educational laboratories.

Key Features

- Easy scale-up from analytical to prep
- Extended pH stability – 1.5 to 10.5

Apollo Phase Specifications

Phase	Particle size / μm	Endcapped?	USP code
C18	5	Yes	L1
C8	5	Yes	L7
Phenyl	5	Yes	L11
Silica	5	–	L3

Ordering Information

Analytical Columns

5 μm

Length / mm	150		250	Guard cartridges (3/pk) ¹
	3.9	4.6	4.6	For 3.0-4.6
C18	AP-5C18-150DE	36505	36511	96454/N
C8	–	36506	36512	96463/N
Phenyl	–	36538	36544	96430/N
Silica	–	36507	36513	96419/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

5 μm – Columns Compatible with Waters Instruments

Length / mm	150	250	Guard cartridges (3/pk) ¹
	4.6	4.6	For 3.0-4.6
C18	36515	36521	96454/N
C8	–	5126774	96463/N
Phenyl	5126788	–	96430/N
Silica	–	36523	96419/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (Waters type column port: HI-881).

Semi-preparative and Preparative Columns

5 μm

Length / mm	150			250		Guard column (33 x 7 mm) ¹
	7	10	22	10	22	
C18	36530	36531	36526	36543	36537	970205
Phenyl	–	36527	36535	36532	36528	970218
Silica	36542	–	–	–	36524	970206

¹To be used with column coupler (HI-081).

For column dimensions not listed here,
please contact

+44 (0)118 930 3660 or
technical@hichrom.co.uk

to discuss your requirements



Genesis

Genesis HPLC columns were developed by Jones Chromatography. Hichrom acquired this range of columns from Grace. Genesis phases are based on high purity, metal-free, spherical silica. They are suitable for the analysis of a wide range of compounds.

Key Features

- Good peak shape and reproducibility
- Long column lifetime
- pH stability 1 to 10

Genesis Phase Specifications

Phase	Particle size / μm	Endcapped?	Properties	USP code
C18	3, 4, 5	Yes	Excellent peak symmetry. Reduced need for mobile phase modifiers. Long column life.	L1
C8	4, 5	No	Suitable for lower pH separations.	L7
C8(EC)	4	Yes	Excellent peak symmetry. Reduced need for mobile phase modifiers. Long column life.	L7
AQ	4	Yes	Designed for separating hydrophilic and polar compounds. Stable retention times in 100 % aqueous mobile phases. Rapid equilibration. Unique reversed-phase selectivity.	L1
Phenyl	4, 5	Yes	Reversed-phase chemistry. Improves the chromatography of polar aromatics, fatty acids, and basic pharmaceuticals.	L11
Cyano	4	Yes	Suitable for polar analysis, analytes with double- and/or triple-bonds, and compounds that have too much retention on alkyl phases.	L10
Silica	4	—	Highly polar phase for general purpose applications.	L3

Ordering Information

Analytical Columns

3 μm

Length / mm	50		100		150		250	
i.d. / mm	3.0	4.6	4.0	4.6	2.1	4.6	3.0	4.6
C18	FL5963E	FM5963E	FH10963E	FM10963E	FK15963E	FM15963E	FL25963E	FM25963E

4 μm

Length / mm	30		50			100			125	
i.d. / mm	2.1	3.0	2.1	3.0	4.6	2.1	3.0	4.6	4.0	4.6
C18	FK3960E	—	FK5960E	FL5960E	FM5960E	FK10960E	FL10960E	FM10960E	GEN-4C18-125DF	GEN-4C18-125D
C8	—	FL3962E	FK5962E	—	—	—	FL10962E	FM10962E	—	—
C8(EC)	—	—	FK5964E	—	FM5964	—	—	FM10964E	—	—
AQ	—	—	—	—	FM5951E	—	—	FM10951E	—	—
Cyano	—	—	—	—	—	—	—	FM10965E ¹	—	—

¹Also available in PEEK, metal-free column hardware (FM10965EP).

Length / mm	150		250			Guard cartridges (3/pk) ¹
i.d. / mm	4.0	4.6	3.0	4.0	4.6	For 3.0-4.6
C18	FH15960E	FM15960E	FL25960E	FH25960E	FM25960E	5169650/N
C8	—	FM15962E	—	—	FM25962E	FH1962-2/N
C8(EC)	—	FM15964E	—	FH25964E	FM25964E	—
AQ	—	FM15951E	—	—	FM25951E	—
Cyano	—	FM15965E ²	—	—	FM25965E	—
Phenyl	—	FM15980E	—	—	FM25980E	—
Silica	—	—	—	—	FM25961E	FH1961-2/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Also available with reversed-phase shipping solvent (FM15965ER).

5 μm

Length / mm	125	150	250
i.d. / mm	4.6	4.6	4.6
C18	GEN-5C18-125D	GEN-5C18-150D	GEN-5C18-250D
C8	—	—	GEN-5C8-250D
Phenyl	—	—	GEN-5PH-250D

Semi-preparative and Preparative Columns


4 μm

Length / mm	150	250
i.d. / mm	10	10
C18	—	8P25960
Silica	8P15961	—




Column: Genesis C18, 4 μm , 100 x 4.6 mm (*p/n:* FM10960E)
Mobile phase: Acetonitrile:50 mM KH_2PO_4 , pH 3.0 (40:60)
Flow rate: 1.0 mL min^{-1}
Detector: UV at 254 nm

1. Atenolol
2. Metoprolol
3. Propranolol
4. Diltiazem



Column: Genesis CN, 4 μm , 150 x 4.6 mm (*p/n:* FM15965E)
Mobile phase: Acetonitrile:0.05 % Trichloroacetic Acid in Water, pH 3.0
Flow rate: 1.0 mL min^{-1}
Detector: UV at 254 nm

1. Atazine Desisopropyl
2. Atrazine Desethyl
3. Simazine
4. Propazine





The Prevail range of HPLC columns were developed by Alltech. Hichrom acquired this range from Grace. The Prevail range exhibits long lifetimes in both highly aqueous and highly organic mobile phases. The stability of these phases is such that a single column can be switched between highly aqueous, for analysis of highly polar analytes, and highly organic, for strong retention of hydrophobic analytes.

Key Features

- Stable from highly organic to highly aqueous
- Speciality phases for specific applications
- Excellent sensitivity with microbore and ELSD applications

Prevail Phase Specifications

Phase	Particle size / μm	Properties	Applications	USP code
C18	3, 5	Stable in highly aqueous to highly organic mobile phases	Flexibility to switch between varied mobile phase conditions to suit a variety of applications. Excellent sensitivity for microbore applications	L1
C18-Select	3, 5	Stable in highly aqueous to highly organic mobile phases	Suitable for applications where greater retention than the Prevail C18 is required	L1
C8	5	Stable C8 phase	Use for highly hydrophobic compounds that retain too strongly on C18	L7
Phenyl	5	Lowest hydrophobic capacity	Selective for aromatic compounds in a variety of mobile phase conditions	L11
Cyano	3, 5	General purpose cyano suitable for normal or reversed-phase use	Rugged normal phase applications	L10
Amino	3, 5	Stable in highly aqueous to highly organic mobile phases	Use for carbohydrates or as a weak anion exchanger	L8
Amide	5	Polar embedded phase	Suitable for use with highly aqueous mobile phases	—
Silica	3, 5	Highly polar phase	General purpose normal phase applications	L3
Organic acid	3, 5	Highly efficient silica-based, acid-stable phase	Separates common organic acids with unsurpassed resolution, speed and sensitivity. Lower cost than polymeric columns	—

Prevail Organic Acid

Prevail Organic Acid columns are silica-based for maximum efficiency and high resolution. They can separate common organic acids with a combination of speed, sensitivity, and simplicity. A simple acidic phosphate buffer and a Prevail OA column at ambient temperature will separate 11 short chain organic acids in less than 6 minutes. The retention profile can be readily adjusted by changing the mobile phase pH.

Prevail Carbohydrate ES

The Prevail Carbohydrate ES column was discontinued by Grace prior to the acquisition of the Prevail range by Hichrom. Please contact our technical team on +44 (0)118 930 3660 or technical@hichrom.co.uk to discuss suitable alternatives for your application.

Ordering Information

Analytical Columns

3 μm

Length / mm	20		50		100		150			Guard cartridges (3/pk) ¹
i.d. / mm	2.1	2.1	2.1	4.6	2.1	4.6	2.1	3.0	4.6	For 2.1
C18	43827	43818	43829	43871	99202	99200	99322	99204	96683/N	
C18-Select	—	99309	—	99312	99302	99313	99315	99303	96691/N	
Cyano	—	—	—	—	—	99243	—	99247	—	
Amino	—	—	—	—	99257	99255	—	99259	—	
Silica	—	—	—	43805	—	—	99341	99271	—	
Organic acid	—	—	—	88648	—	—	—	88655	—	

¹To be used with All-Guard cartridge holder (80101/N) and column coupler (HI-081).

88755 – Prevail Organic Acid, 3 μm , 150 x 4.6 mm (compatible with Waters instruments)



3 µm – Rocket Columns

Rocket columns are specifically designed for high-throughput and high-speed methods.

Length / mm	33	53
i.d. / mm	7	7
C18	99280	99279
C18-Select	99304	99305
Organic Acid	–	50755

For column dimensions not listed here,
please contact

+44 (0)118 930 3660 or
technical@hichrom.co.uk

to discuss your requirements

5 µm

Length / mm	50	100	125	150			250		Guard cartridges (3/pk) ¹	
	i.d. / mm	4.6	4.6	4.6	2.1	3.0	4.6	3.0	4.6	For 2.1
C18	43903	–	PRE-5C18-125D	99206	99320	99208	99321	99210	96682/N	99286/N
C18-Select	–	–	–	–	99316	99300	99317	99301	96690/N	96455/N
C8	–	–	–	99218	–	99224	5131428	99229	99128/N	99287/N
Phenyl	–	–	–	99237	99326	99239	99327	99241	99130/N	99288/N
Cyano	–	–	–	–	99329	99251	–	99253	99131/N	99353/N
Amino	–	–	–	99261	–	99263	–	99265	99135/N	99290/N
Amide	–	PRE-5AM-100D	–	–	–	88660	–	88665	–	–
Silica	–	–	–	99273	99339	99275	99340	99277	99133/N	99354/N
Organic acid	–	–	–	–	–	88640	PRE-50A-250DT	88645	–	96429/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

5 µm – Columns Compatible with Waters Instruments

Length / mm	150	250	Guard cartridges (3/pk) ¹
i.d. / mm	4.6	4.6	For 3.0-4.6
C18	99209	99211	99286/N
Organic Acid	88740	88745	96429/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (Waters type column port: HI-881).

Semi-preparative and Preparative Columns

5 µm

Length / mm	150		250
i.d. / mm	22	10	22
C18	99296	99294	99297



Allsep Anion

The Allsep Anion column range was developed by Alltech. Hichrom acquired this column range from Grace. Allsep Anion is a methacrylate-based phase with quaternary ammonium functional groups, optimised for use with both suppressed and non-suppressed conductivity detection. Columns are compatible with common IC mobile phases, such as carbonate, bicarbonate, p-hydroxybenzoic acid, phthalic acid, succinic acid, and sodium octane sulfonate.

Allsep Anion is recommended for applications involving inorganic anions, weak and strong acid ions, metal complexes and organic acids. It meets the requirements for the EPA method 300.0 Part A for determination of inorganic ions in water.

Key Features

- 7 µm polymer-based anion exchange phase
- Suppressed or non-suppressed conductivity detection
- pH range 2–10
- Use with 0–100 % organic modifier
- USP L23

Ordering Information

7 µm

Length / mm	50	100	150		250
i.d. / mm	4.6	4.6	2.1	4.6	2.1
Stainless Steel	51214	51200	51210	51208	51212
PEEK (metal-free)	51213	51207	–	51209	–

Length / mm	Guard cartridges (3/pk) ¹	Guard cartridges (3/pk) ¹	Guard cartridge kits ²	Guard cartridge kits ²
i.d. / mm	For 2.1	For 3.0–4.6	For 2.1	For 3.0–4.6
Stainless Steel	38110/S	38108/S	38111/S	38109/S
PEEK (metal-free)	–	38108	–	38109

¹All-Guard cartridge holder and coupler (80101/N and HI-081) for stainless steel hardware and 80101 for PEEK hardware required.

²Includes All-Guard cartridge holder and coupler (80101/N and HI-081) for stainless steel hardware, 80101 for PEEK hardware, and 3 guard cartridges.

Hichrom Organic Acid

Hichrom Organic Acid columns are ion exclusion columns packed with sulphonated polystyrene-divinylbenzene. The OA-1000 and OA-2000 columns exhibit excellent selectivity for aliphatic and aromatic acids. As with most ion exclusion columns, a column heater is necessary for normal operating procedures.

The IOA-1000 and IOA-2000 columns are suitable for the separation of citric and other acids from glucose and fructose.

Key Features

- Rapid analysis of organic acids and alcohols
- pH stable polymer resin
- Isocratic 100 % aqueous mobile phases only - no organic solvents
- USP L17

Ordering Information

Part number	Phase	Particle size / µm	Column dimensions / mm	Applications
9046	OA-1000	9	300 x 6.5	Inorganic ions, such as fluoride, arsenate, sulphite, alcohols and most organic acids
9048	OA-2000	6.5	100 x 6.5	Organic acids with low pH values, low MW straight chain acids and aromatic acids
9646	IOA-1000	9	300 x 7.8	Acids of the tricarboxylic acid cycle (Krebs cycle)
9648	IOA-2000	8	150 x 6.5	Fast separation of acids and some alcohols

28884 – Guard cartridges for Hichrom Organic Acid columns (2/pk).

28883 – Guard cartridge kit for Hichrom Organic Acid columns, including guard cartridge holder and 2 guard cartridges.

Hichrom Anion Exclusion

Hichrom Anion Exclusion columns are based on a highly sulphonated polystyrene-divinylbenzene cation-exchange resin. The phase has a particle size of 10 µm and is designed for the separation of organic acids and weakly ionised anions by an anion exclusion mechanism. Typical mobile phases contain dilute mineral acids. Acetonitrile (<10%) may be added as organic modifier to decrease the retention of hydrophobic compounds.

Key Features

- Separates organic acids and weakly ionised anions
- Polymer-based for broad pH stability
- USP L22

Ordering Information

10 µm

Length / mm	100	300
i.d. / mm	7.8	7.8
Anion Exclusion (stainless steel)	269068	269006

Hichrom Anion/S

Hichrom Anion/S columns are based on 10 µm silica with quaternary ammonium ion-exchange groups. These columns are optimised for non-suppressed conductivity detection and are best suited for routine separations of chloride, bromide, nitrate, and sulphate.

Key Features

- Silica-based for symmetrical peak shapes
- Separates inorganic and organic anions

Ordering Information

10 µm

Length / mm	100	250
i.d. / mm	4.6	4.6
Stainless Steel	269013	269001
PEEK (metal-free)	269012	269011

Hichrom Carbohydrate Cation

The Hichrom Carbohydrate Cation column consists of a highly efficient sulphonated polystyrene resin supplied in the calcium form. This column provides excellent separations using only water as the mobile phase.

Key Features

- Sulphonated polystyrene resin (Ca²⁺ form)
- 100% water used as mobile phase
- Column heating required
- USP L19

Ordering Information

70057 – Hichrom Carbohydrate Cation, 10 µm, 300 x 6.5 mm

Length / mm	300
i.d. / mm	6.5
Hichrom Carbohydrate Cation	70057

Hichrom Pre-saturation Columns

All silica HPLC packing materials will gradually dissolve in aqueous solution. This problem is exacerbated when the pH level of the solution is above 7. To avoid silica dissolution, mobile phases should ideally be buffered between pH 3.5–6.5. Where high levels of aqueous solvent or alkaline pH conditions are required, the pre-saturation column (packed with large 40 µm particle diameter silica) saturates the mobile phase with silica to minimise analytical column dissolution problems.

Ordering Information

28610 – Hichrom pre-saturation column, 250 x 4.6 mm (1/pk)

28650 – Hichrom pre-saturation column, 250 x 4.6 mm (4/pk)



Vydac 300 Å columns are a commonly employed range in bioseparations. Following the acquisition of Grace HPLC ranges by Hichrom, Vydac columns continue to be available exclusively from Hichrom in capillary to microbore and analytical to preparative dimensions.

Separate biomolecules from small peptides to large intact proteins with the Vydac family of reversed-phase columns (including Vydac TP, MS, Denali, and Everest) and ion exchange (Vydac 302IC) columns. Reversed-phase columns for a polypeptide separation should be considered on the basis of the polypeptide's hydrophobicity, with molecular weight as a secondary consideration.

Vydac TP

Vydac TP reversed-phase material consists of aliphatic groups bonded to the surface of 300 Å pore diameter silica. The large pores of the TP silica give polypeptide molecules complete access to the interior of the silica pores. Vydac TP silica is the standard that has defined large pore HPLC for polypeptide separations for nearly two decades.

Key Features

- Long column lifetime and negligible phase leaching
- Reliable protein purifications, scalable from analytical to preparative scale
- Referenced in a large number of patents and publications

Vydac TP Phase Specifications

Phase	Functional group	Particle size / μm	Properties	Applications	USP code
218TP	C18	3, 5, 10	First generation polymeric C18 phase with unique selectivity	Small polypeptides 4-5 kDa MW, enzymatic digest fragments, natural and synthetic peptides, multi-ring compounds	L1
238TP	C18	5	First generation monomeric C18 phase	Use for same applications as 218TP, but offers different C18 selectivity	L1
201TP	C18	5, 10	Non-endcapped C18 phase	Developed for separation of PAHs	L1
202TP	C18	5	Higher carbon load than 201TP	Developed for separation of PAHs	L1
208TP	C8	3, 5, 10	Less hydrophobic than C18TP phase	Polypeptides 10-20 kDa MW	L7
214TP	C4	5, 10	First generation C4 phase	Glycoproteins, haemoglobin variants, histones, insulin variants, membrane proteins	L26
214ATP	C4	5	C4 phase with lower level of endcapping	Optimised for analysis of human growth hormone	L26
219TP	Diphenyl	5, 10	Lowest capacity first generation diphenyl phase	Polypeptides with aromatic side chains, large hydrophobic proteins, membrane-spanning peptides, lipid peptides, fusion proteins from inclusion bodies	L11

Ordering Information

Capillary Columns

5 μm


Length / mm	150	
	0.3	0.5
218TP	218TP5.315	—
214TP	214TP5.315	214TP5.515

Analytical Columns

3 μm

Length / mm	50			100	
	2.1	3.0	4.6	3.0	4.6
218TP	218TP3205	218TP3305	218TP3405	—	218TP3410
208TP	—	—	208TP3405	208TP3310	208TP3410

Length / mm	150		250	
	2.1	4.6	3.0	4.6
218TP	218TP3215	218TP3415	—	218TP34
208TP	—	—	208TP33	—



Length / mm	Guard cartridges (2/pk) ¹		Guard cartridge kits ²	
i.d. / mm	For 2.1	For 3.0–4.6	For 2.1	For 3.0–4.6
218TP	218GD32/N	218GD34/N	218GK32/N	218GK34/N
208TP	–	208GD34/N	–	208GK34/N

¹ To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

² Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

5 µm

Length / mm	30		50		
i.d. / mm	2.1	1.0	2.1	3.0	4.6
218TP	–	218TP5105	218TP5205	218TP5305	218TP5405
238TP	–	238TP5105	238TP5205	–	238TP5405
201TP	201TP5203	201TP5105	201TP5205	–	201TP5405
208TP	–	208TP5105	208TP5205	–	208TP5405
214TP	–	214TP5105	214TP5205	214TP5305	214TP5405
214ATP	–	–	–	–	214ATP5405
219TP	–	219TP5105	219TP5205	–	219TP5405

Length / mm	100			
i.d. / mm	1.0	2.1	3.0	4.6
218TP	218TP5110	218TP5210	–	218TP5410
238TP	238TP5110	–	–	238TP5410
201TP	–	201TP5210	201TP5310	201TP5410
208TP	208TP5110	208TP5210	–	208TP5410
214TP	214TP5110	214TP5210	214TP5310	214TP5410
214ATP	–	214ATP5210	–	–
219TP	–	219TP5210	–	219TP5410

Length / mm	150			
i.d. / mm	1.0	2.1	3.0	4.6
218TP	218TP5115	218TP5215	–	218TP5415
238TP	238TP5115	238TP5215	238TP5315	238TP5415
201TP	201TP5115	201TP5215	201TP5315	201TP5415
202TP	–	–	–	202TP5415
208TP	208TP5115	208TP5215	208TP5315	208TP5415
214TP	214TP5115	214TP5215	214TP5315	214TP5415
214ATP	–	214ATP5215	–	214ATP5415
219TP	219TP5115	219TP5215	219TP5315	219TP5415

Length / mm	250				
i.d. / mm	1.0	2.1	3.0	4.0	4.6
218TP	218TP51	218TP52	218TP53	–	218TP54
238TP	238TP51	238TP52	238TP53	–	238TP54
201TP	201TP51	201TP52	–	201TP540	201TP54
202TP	–	–	–	–	202TP54
208TP	208TP51	208TP52	208TP53	–	208TP54
214TP	214TP51	214TP52	214TP53	–	214TP54
214ATP	–	214ATP52	–	–	214ATP54
219TP	219TP51	219TP52	219TP53	–	219TP54

Length / mm	Guard cartridges (2/pk) ¹			Guard cartridge kits ²		
i.d. / mm	For 1.0	For 2.1	For 3.0-4.6	For 1.0	For 2.1	For 3.0–4.6
218TP	218GD51/N	218GD52/N	218GD54/N	218GK51/N	218GK52/N	218GK54/N
238TP	238GD51/N	238GD52/N	238GD54/N	238GK51/N	238GK52/N	238GK54/N
201TP	–	201GD52/N	201GD54/N	–	201GK52/N	201GK54/N
202TP	–	–	202GD54/N	–	–	202GK54/N
208TP	208GD51/N	208GD52/N	208GD54/N	208GK51/N	208GK52/N	208GK54/N
214TP	214GD51/N	214GD52/N	214GD54/N	214GK51/N	214GK52/N	214GK54/N
214ATP	–	–	214AGD54/N	–	–	214AGK54/N
219TP	–	219GD52/N	219GD54/N	–	219GK52/N	219GK54/N

¹ To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

² Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

10 µm

Length / mm	50	150	250			Guard cartridges (2/pk) ¹	Guard cartridge kits ²
i.d. / mm	4.6	4.6	1.0	2.1	4.6	For 3.0-4.6	For 3.0-4.6
218TP	–	218TP10415	218TP101	218TP102	218TP104	218GD104/N	218GK104/N
201TP	–	201TP10415	–	–	201TP104	201GD104/N	201GK104/N
208TP	208TP10405	208TP10415	–	–	208TP104	208GD104/N	208GK104/N
214TP	–	214TP10415	214TP101	–	214TP104	214GD104/N	214GK104/N

¹ To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

² Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.



Vydac TP continued

10–15 µm

Length / mm	150	250
i.d. / mm	4.6	4.6
218TP	5119751	218TP10154
214TP	–	214TP10154
214TP	–	214TP101015

15–20 µm

Length / mm	50	100	150	250	Guard cartridges (2/pk) ¹	Guard cartridge kits ²
i.d. / mm	4.6	4.6	4.6	4.6	For 3.0–4.6	For 3.0–4.6
218TP	218TP1520405	218TP1520410	218TP1520415	–	–	–
208TP	–	208TP1520410	–	–	–	–
214TP	–	–	–	214TP15204	214GD15204/N	214GK15204/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

20–30 µm

Length / mm	150
i.d. / mm	4.6
218TP	218TP2030415

Semi-preparative and Preparative Columns

5 µm

Length / mm	100		150	250	Guard cartridges (2/pk) ¹	Guard cartridge kits ²
i.d. / mm	10	22	10	10	For 10–22	For 10–22
218TP	218TP51010	–	218TP51015	218TP510	218GCC510	218FSK510
238TP	–	–	–	238TP510	–	–
201TP	–	–	–	201TP510	–	–
208TP	208TP51010	–	–	208TP510	208GCC510	208FSK510
214TP	214TP51010	214TP52210	214TP51015	214TP510	214GCC510	214FSK510
214ATP	–	–	–	214ATP510	–	–
219TP	–	–	–	219TP510	219GCC510	219FSK510

¹To be used with semi-prep guard holder (GCH10) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (GCH10), column coupler (HI-081), and 1 guard cartridge.

10 µm

Length / mm	100	150		250		Guard cartridges (2/pk) ¹
i.d. / mm	22	10	22	10	22	For 10–22
218TP	218TP102210	218TP101015	218TP102215	218TP1010	218TP1022	218GCC1010
208TP	–	–	–	208TP1010	208TP1022	208GCC1010
214TP	–	214TP101015	214TP102215	214TP1010	214TP1022	214GCC1010
219TP	–	–	–	219TP1010	219TP1022	219GCC1010

¹To be used with semi-prep guard holder (GCH10) and column coupler for All-Guard cartridges (HI-081).

10–15 µm

Length / mm	150		250		Guard cartridges – 12 µm (2/pk) ¹	Guard cartridge kits – 12 µm ²
i.d. / mm	10	22	10	22	For 10–22	For 10–22
218TP	–	–	218TP101510	218TP101522	218GCC1210	218FSK1210
208TP	–	–	208TP101510	208TP101522	208GCC1210	208FSK1210
214TP	214TP10151015	214TP10152215	214TP101510	214TP101522	214GCC1210	214FSK1210

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

15–20 µm

Length / mm	100	150	250		Guard cartridges (2/pk) ¹
i.d. / mm	22	22	10	22	For 10–22
218TP	218TP15202210	218TP15202215	218TP152010	218TP152022	–
208TP	–	–	–	–	–
214TP	–	–	214TP152010	214TP152022	214GCC152010

¹To be used with semi-prep guard holder (GCH10) and column coupler for All-Guard cartridges (HI-081).

Vydac MS

Vydac MS is a further development of the Vydac range for reversed-phase separation of biomolecules. A proprietary surface treatment and bonding process give Vydac MS columns unique selectivity. A variety of reversed-phases makes this product line suitable for the analysis of small peptides to large intact proteins.

Key Features

- 300 Å pore size spherical silica
- Four reversed-phase chemistries
- Excellent peak shape with little or no TFA
- High protein recoveries make scale-up easy

Vydac MS Phase Specifications

Phase	Functional group	Particle size / μm	Properties	Applications	USP code
218MS	C18	5, 10	Polymeric bonding, highest hydrophobic interaction and unique geometric selectivity	Use for simple enzymatic digests (<12 proteins) or biomolecules 0–5 kDa MW	L1
238MS	C18	5	Monomeric bonding offers increased peptide interaction and generally yields higher peak counts	Use for same applications as 218MS, but offers different C18 selectivity	L1
208MS	C8	5, 10	Lower hydrophobicity is better for larger biomolecules	Ideal for biomolecules 5–10 kDa MW	L7
214MS	C4	5, 10	Lower capacity than C18 or C8, suitable for hydrophobic proteins or when minimal organic solvent is desired	Ideal for biomolecules >10 kDa MW, intact proteins, antibodies, oligonucleotides, human growth hormone	L26

Ordering Information

Capillary Columns


5 μm

Length / mm	50			
i.d. / mm	0.075	0.15	0.3	0.5
218MS	218MS5.07505	218MS5.1505	218MS5.305	218MS5.505
238MS	238MS5.07505	238MS5.1505	238MS5.305	238MS5.505
208MS	208MS5.07505	208MS5.1505	208MS5.305	208MS5.505
214MS	214MS5.07505	214MS5.1505	214MS5.305	214MS5.505

Length / mm	100				
i.d. / mm	0.075	0.1	0.15	0.3	0.5
218MS	218MS5.07510	–	218MS5.1510	218MS5.310	218MS5.510
238MS	238MS5.07510	–	238MS5.1510	238MS5.310	238MS5.510
208MS	208MS5.07510	208MS5.1010	208MS5.1510	208MS5.310	208MS5.510
214MS	214MS5.07510	–	214MS5.1510	214MS5.310	214MS5.510

Length / mm	150			
i.d. / mm	0.075	0.15	0.3	0.5
218MS	218MS5.07515	218MS5.1515	218MS5.315	218MS5.515
238MS	238MS5.07515	238MS5.1515	238MS5.315	238MS5.515
208MS	208MS5.07515	208MS5.1515	208MS5.315	208MS5.515
214MS	214MS5.07515	214MS5.1515	214MS5.315	214MS5.515

Length / mm	250			
i.d. / mm	0.075	0.15	0.3	0.5
218MS	218MS5.07525	218MS5.1525	218MS5.325	218MS5.525
238MS	238MS5.07525	238MS5.1525	238MS5.325	238MS5.525
208MS	208MS5.07525	208MS5.1525	208MS5.325	208MS5.525
214MS	214MS5.07525	214MS5.1525	214MS5.325	214MS5.525



Analytical Columns

5 µm

Length / mm	20		50		
i.d. / mm	2.1	4.6	1.0	2.1	4.6
218MS	218MS5202	218MS5402	218MS5105	218MS5205	218MS5405
238MS	–	–	238MS5105	238MS5205	–
208MS	–	–	208MS5105	208MS5205	–
214MS	–	–	214MS5105	214MS5205	214MS5405

Length / mm	100			
i.d. / mm	1.0	2.1	3.0	4.6
218MS	218MS5110	218MS5210	218MS5310	218MS5410
238MS	238MS5110	238MS5210	–	238MS5410
208MS	208MS5110	208MS5210	–	–
214MS	214MS5110	214MS5210	214MS5310	214MS5410

Length / mm	150				200
i.d. / mm	1.0	2.1	3.0	4.6	1.0
218MS	218MS5115	218MS5215	–	218MS5415	218MS5120
238MS	238MS5115	238MS5215	–	238MS5415	–
208MS	208MS5115	208MS5215	208MS5315	208MS5415	–
214MS	214MS5115	214MS5215	214MS5315	214MS5415	–

Length / mm	250			
i.d. / mm	1.0	2.1	3.0	4.6
218MS	218MS51	218MS52	218MS53	218MS54
238MS	238MS51	238MS52	–	238MS54
208MS	208MS51	208MS52	–	208MS54
214MS	214MS51	214MS52	214MS53	214MS54

Length / mm	Guard cartridges (2/pk) ¹			Guard cartridge kits ²		
	For 1.0	For 2.1	For 3.0-4.6	For 1.0	For 2.1	For 3.0-4.6
218MS	218GD51MS/N	218GD52MS/N	218GD54MS/N	218GK51MS/N	218GK52MS/N	218GK54MS/N
238MS	238GD51MS/N	238GD52MS/N	238GD54MS/N	238GK51MS/N	238GK52MS/N	238GK54MS/N
208MS	208GD51MS/N	208GD52MS/N	208GD54MS/N	208GK51MS/N	208GK52MS/N	208GK54MS/N
214MS	214GD51MS/N	214GD52MS/N	214GD54MS/N	214GK51MS/N	214GK52MS/N	214GK54MS/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

10 µm



Length / mm	250		Guard cartridges (2/pk) ¹	Guard cartridge kits ²
i.d. / mm	1.0	4.6	For 3.0-4.6	For 3.0-4.6
218MS	218MS101	218MS104	218GD104MS/N	218GK104MS/N
208MS	–	208MS104	–	–
214MS	–	214MS104	–	–

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

10–15 µm

Length / mm	250
i.d. / mm	4.6
214MS	214MS10154





Semi-preparative and Preparative Columns

5 µm

Length / mm	250
i.d. / mm	10
218MS	218MS510
208MS	208MS510
214MS	214MS510

10 µm

Length / mm	150	250	
		10	22
i.d. / mm	22	10	22
218MS	218MS102215	218MS1010	218MS1022
208MS	208MS102215	–	208MS1022
214MS	–	214MS1010	214MS1022

10–15 µm

Length / mm	250	Guard cartridges – 12 µm (2/pk) ¹
i.d. / mm	22	For 22
214MS	214MS101522	214FSK1210MS

¹To be used with semi-prep guard holder (GCH10) and column coupler for All-Guard cartridges (HI-081).

For column dimensions not listed here,
please contact
+44 (0)118 930 3660 or
technical@hichrom.co.uk
to discuss your requirements

Vydac Everest

Everest columns (238EV) have unique selectivity and sensitivity, which are the result of bonding technology that improves C18 surface coverage and deactivates residual silanols. Leading 300 Å C18 chemistries have had carbon coverage in the 2.8 to 3.6 $\mu\text{mol m}^{-2}$ range. Everest C18 coverage is in excess of 4 $\mu\text{mol m}^{-2}$ and approximates the theoretical limit based on surface area. The increased shielding of the base silica increases column lifetime and reduces the amount of TFA required to shield the silica.

Key Features

- Unique selectivity for hydrophilic and hydrophobic peptides
- 300 Å pore size spherical silica
- Excellent sensitivity with little or no TFA in mobile phase
- Ideal for complex enzymatic digests (>12 proteins)

Ordering Information

Capillary Columns

5 μm

Length / mm	50			100		
i.d. / mm	0.075	0.3	0.5	0.075	0.15	0.3
C18	238EV5.07505	238EV5.305	238EV5.505	238EV5.07510	238EV5.1510	238EV5.310

Length / mm	150				250	
i.d. / mm	0.075	0.15	0.3	0.5	0.15	0.3
C18	238EV5.07515	238EV5.1515	238EV5.315	238EV5.515	238EV5.1525	238EV5.325

Analytical Columns

5 μm

Length / mm	50		100		150		
i.d. / mm	1.0	4.6	2.1	3.0	1.0	2.1	4.6
C18	238EV5105	238EV5405	238EV5210	238EV5310	238EV5115	238EV5215	238EV5415

Length / mm	250			Guard cartridges (2/pk) ¹		Guard cartridge kits ²
i.d. / mm	1.0	2.1	4.6	For 2.1	For 3.0-4.6	For 3.0-4.6
C18	238EV51	238EV52	238EV54	238GD52EV/N	238GD54EV/N	238GK54EV/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

Semi-preparative Columns

5 μm

Length / mm	250	Guard cartridges (2/pk) ¹
i.d. / mm	10	For 10-22
C18	238EV510	238GCC510EV

10 μm

Length / mm	250
i.d. / mm	22
C18	238EV1022

¹To be used with semi-prep guard holder (GCH10) and column coupler for All-Guard cartridges (HI-081).

Column: Vydac Denali C18, 5 μm , 150 x 4.6 mm (*p/n*: 218DE5415)


Mobile phase: A: 1 % Acetic Acid in Water
B: 1 % Acetic Acid in Acetonitrile

Gradient:

Time / min	0	25	26	27	28
% A	07	49	30	30	70
% B	30	51	70	70	30

Flow rate: 1 mL min⁻¹

Detector: UV at 280 nm



1. Phenol
2. 4-Nitrophenol
3. 2-Chlorophenol
4. 2-Nitrophenol
5. 2,4-Dinitrophenol
6. 2,4-Dimethylphenol
7. 4-Chloro-3-Methylphenol
8. 2,4-Dichlorophenol
9. 2-Methyl-4,6-Dinitrophenol
10. 2,4,6-Trichlorophenol
11. Pentachlorophenol

Figure 6. EPA 604 Phenols Mixture

Vydac Denali

Vydac Denali (238DE) is a 120 Å C18 bonded phase with high carbon coverage, suitable for the analysis of both acidic and basic analytes. It has applications for small molecule analyses of interest to pharmaceutical and environmental laboratories.

Key Features

- High retentiveness
- LC/MS of small molecules
- Fully scalable from capillary to process

Ordering Information

Capillary Columns

5 µm

Length / mm	50			
i.d. / mm	0.075	0.15	0.3	0.5
C18	238DE5.07505	238DE5.1505	238DE5.305	238DE5.505

Length / mm	100	150			250
i.d. / mm	0.075	0.075	0.15	0.5	0.3
C18	238DE5.07510	238DE5.07515	238DE5.1515	238DE5.515	238DE5.325

Analytical Columns

5 µm

Length / mm	50				100			
i.d. / mm	1.0	2.1	3.0	4.6	1.0	2.1	3.0	4.6
C18	238DE5105	238DE5205	238DE5305	238DE5405	238DE5110	238DE5210	238DE5310	238DE5410

Length / mm	150				250		
i.d. / mm	1.0	2.1	3.0	4.6	1.0	2.1	4.6
C18	238DE5115	238DE5215	238DE5315	238DE5415	238DE51	238DE52	238DE54

Length / mm	Guard cartridges (2/pk) ¹			Guard cartridge kits ²		
i.d. / mm	For 1.0	For 2.1	For 3.0-4.6	For 1.0	For 2.1	For 3.0-4.6
C18	238GD51DE/N	238GD52DE/N	238GD54DE/N	238GK51DE/N	238GK52DE/N	238GK54DE/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).

²Includes holder (80101/N), column coupler (HI-081), and 1 guard cartridge.

10 µm

Length / mm	50	150	250		300
i.d. / mm	4.6	4.6	4.0	4.6	4.6
C18	238DE10405	238DE10415	DE-10C18-250DF	238DE104	DE-10C18-300DF
Silica	–	–	–	5174066	–

Semi-preparative and Preparative Columns

5 µm

Length / mm	100	150		250
i.d. / mm	10	10	22	10
C18	238DE51010	5174053	238DE52215	238DE510
Silica	–	5174054	–	–

10 µm

Length / mm	150		250		Guard cartridges (2/pk) ¹
i.d. / mm	10	22	10	22	For 10-22
C18	238DE101015	238DE102215	238DE1010	238DE1022	238GCC1010DE
Silica	–	5174057	5174063	–	–

¹To be used with semi-prep guard holder (GCH10) and column coupler (HI-081).

Vydac 302IC Anion-Exchange

Vydac 302IC is a low capacity anion-exchange (quaternary amine) material based on a high purity 10 µm large pore size silica.

Key Features

- Well referenced for non-suppressed ion chromatography applications
- Used with standard HPLC systems for analysis of common ions
- Widely used for environmental analysis

Ordering Information

Analytical Columns

10 µm

Length / mm	100	250		Guard cartridges (2/pk) ¹
i.d. / mm	4.6	2.1	4.6	For 4.6
302IC	302IC4610	302IC102	302IC4.6	302GD4/N

¹To be used with All-Guard cartridge holder (80101/N) and column coupler for All-Guard cartridges (HI-081).




Guard Cartridge Systems

To support these newly acquired column ranges, Hichrom continues to recommend the use of guard cartridges for analytical column protection and increased column lifetime. The hardware of the Hichrom All-Guard Cartridge System has been improved and all guard cartridges and holders are now supplied in this new hardware, leading to more robust and higher efficiency separations. Chromatographic selectivity will be unaffected by this change.

Benefits of the hardware improvement include:

- Higher pressure rating
- Low internal swept volume

Please note that the **new Hichrom guard cartridges and holders are not compatible with the old design Alltech guard cartridges and holders**. Guard cartridges and holders supplied in the new improved hardware are denoted by the addition of an 'N' at the end of the old part number.



Ordering information

80101/N – All-Guard cartridge holder

HI-081 – Column Coupler for All-Guard Cartridge Holder (standard column port)

HI-881 – Column Coupler for All-Guard Cartridge Holder (Waters type column port only)

C-1000 – Semi-prep guard holder (for 10-22 mm i.d. columns)

GCH10 – Vydac semi-prep guard holder (for 10-22 mm i.d. columns)

HI-226 – Analytical Guard Holder Wrench Set - contains a pair of 9/16" stainless steel wrenches

HI-050X – Hichrom PEEK Fingertight Fittings (10/pack) - suitable for connection of HPLC columns and guard holders to all 1/16" tubing types, are compatible with both standard and Waters port designs, and are slip free to >5,000 psi

Please contact Hichrom for other former Grace brands not featured in this catalogue, including:

- Adsorbosil
- Brava
- Exsil
- Grom Sapphire
- ProSphere
- Adsorbosphere
- Econosil
- GraceSmart
- Macrosphere
- VisionHT
- Allsphere
- Econosphere
- Grom Sil
- Platinum

This catalogue contains HPLC column ranges acquired by Hichrom from Grace.
For information on any other product ranges within the Hichrom portfolio, please contact

sales@hichrom.co.uk or technical@hichrom.co.uk

Alternatively, call us on:

+44 (0)118 930 3660

HICHROM

WORLDWIDE...

- 
- Algeria
 - Argentina
 - Armenia
 - Australia
 - Austria
 - Azerbaijan
 - Bahamas
 - Bangladesh
 - Barbados
 - Belarus
 - Belgium
 - Belize
 - Bolivia
 - Bosnia
 - Brazil
 - Bulgaria
 - Canada
 - Chile
 - China
 - Colombia
 - Costa Rica
 - Croatia
 - Cyprus
 - Czech Rep
 - Denmark
 - Dominican Rep
 - Egypt
 - El Salvador
 - Estonia
 - Ethiopia
 - Finland
 - France
 - Georgia
 - Germany
 - Greece
 - Guatemala
 - Hong Kong
 - Honduras
 - Hungary
 - Iceland
 - India
 - Indonesia
 - Iraq
 - Ireland
 - Israel
 - Italy
 - Jamaica
 - Japan
 - Jordan
 - Kazakhstan
 - Kenya
 - Kosovo
 - Kuwait
 - Latvia
 - Lebanon
 - Lithuania
 - Luxembourg
 - Macedonia
 - Malaysia
 - Malta
 - Mexico
 - Montenegro
 - Morocco
 - Netherlands
 - New Zealand
 - Nicaragua
 - Nigeria
 - Norway
 - Oman
 - Pakistan
 - Panama
 - Paraguay
 - Peru
 - Philippines
 - Poland
 - Portugal
 - Puerto Rico
 - Qatar
 - Romania
 - Russia
 - Saudi Arabia
 - Serbia
 - Singapore
 - Slovakia
 - Slovenia
 - South Africa
 - South Korea
 - Spain
 - Sri Lanka
 - Sweden
 - Switzerland
 - Taiwan
 - Thailand
 - Trinidad
 - Tunisia
 - Turkey
 - UAE
 - Uganda
 - Ukraine
 - Uruguay
 - USA
 - US Virgin Islands
 - Venezuela
 - Vietnam
 - Zimbabwe

**Hichrom products are available worldwide through
our International Network of Distributors.**

