

Low-flow

Connected chromatography solutions

Low-flow columns and accessories


Introduction

Low-flow chromatography is ideal when detailed sample information is required from small sample volumes, such as proteomics, metabolomics, and intact protein analysis. The Thermo Scientific range of nano-, capillary-, and micro-flow columns offer excellent sensitivity and resolution in easy-to-use formats.

- Thermo Scientific[™] EASY-Spray[™] HPLC columns
- Thermo Scientific[™] Double nanoViper[™] HPLC columns








Video: Low-flow

HPLC columns connectivity



Section contents

| EASY-Spray HPLC columns | 5 |
|-------------------------------|----|
| Bottom-up proteomics | 6 |
| Top-down proteomics | 7 |
| Double NanoViper HPLC columns | 9 |
| Bottom-up proteomics | 10 |
| Top-down proteomics | 11 |

Column selection guide

| | Packed be | ed format | | |
|-------------|---|---|--|--|
| | EASY-Spray | Double nanoViper | | |
| Technology | 0 | | | |
| Benefits | Ease-of-use Click-and-Spray ion connection with EASY-Spray source nanoViper connections Integrated column and emitter Integrated temperature control For use with Thermo Scientific MS Systems | Analytical flexibility Universal Thermo Scientific nanoViper Fingertight Fittings for column inlet and outlet Simple zero-dead-volume (ZDV) connections Separate emitters Compatible with all low flow U/HPLC instruments | | |
| | Bottom-up | proteomics | | |
| Application | PepMap Neo UHPLC columns are the latest addition to our portfolio. PepMap Neo columns are packed to higher pressure, which provides 1500 bar pressure rating, improved column-to-column consistency, and increased efficiency. | | | |
| areas | Top-down and midd | lle-down proteomics | | |
| | The MAbPac capillary column is best suited for the characterization of intact proteins in top-down proteomics applications where sample amount is critically limited. | | | |



Reference guide:

Low-flow chromatography consumables reference guide for LC-MS proteomics research



Flyer:

Low-flow HPLC columns. Enabling high sensitivity LC-MS analysis for bottom-up and top-down proteomics research

EASY-Spray HPLC columns



Ensure robust nano and capillary flow LC-MS analysis using Thermo Scientific™ EASY-Spray™ HPLC Columns. The integrated column/emitter design eliminates dead volume and is temperature-controlled for maximum reliability and performance. Rigorously tested to ensure maximum quality, these columns deliver maximum simplicity and ease-of-use.

The capillary flow HPLC columns provide sensitive protein, peptide, and monoclonal antibody (mAb) separation. They give proteomics researchers more than ever before: more throughput, more sensitivity, more separation power, and more ease of use.



Choose an EASY-Spray column when:

- You want simple connections with an EASY-Spray source.
 This is ideal for novice users.
- Sample amount is limited
- Analytical UHPLC does not provide sufficient sensitivity
- Workflow simplicity is key
- High sensitivity is required to identify proteins and peptides at low expression levels
- Analyses are done in a targeted and untargeted way for screening and verification



What makes an EASY-Spray column special?

Unique design provides uncompromised performance in an ease-of-use format for nano and capillary LC-MS analysis.


Features for optimum data quality:

- Simple connection to the LC and Thermo Scientific MS instruments
- Precision machined and positioned glass emitters
- Integrated nanoViper zero-dead-volume (ZDV) unions
- Integrated temperature control



Video:

Thermo Scientific EASY-Spray 150 mm LC columns





EASY-Spray HPLC columns



PepMap Neo HPLC columns

Bottom-up columns




Additional reading

Learn more at thermofisher.com/lowflowlc



The Thermo Scientific™ EASY-Spray™ PepMap™ Neo UHPLC columns are perfect for bottom-up proteomics. Packed at higher pressure and rated to 1500 bar, they

provide consistent column-to-column performance, long column lifetime, and excellent efficiency. These benefits are true at any pressure.



The 60% reduction in total analysis time allows increasing the sample throughput moving from the nano- to the capillary-flow LC-MS method.



PepMap Neo columns

| Format | Length (mm) | Column ID (μm) | Part number |
|-------------------|-------------|----------------|-------------|
| | 150 | 75 | ES75150PN |
| Bottom-up columns | 500 | 75 | ES75500PN |
| | 750 | 75 | ES75750PN |



EASY-Spray HPLC columns



MAbPac RP Cap HPLC columns

Top-down columns




Additional reading

Learn more at thermofisher.com/lowflowlc

Q

The Thermo Scientific™ MAbPac™ RP capillary column is best suited for the characterization of intact proteins in top-down proteomics, clinical and anti-doping

applications where sample amount is limited or sensitivity is crucial.




Calculation of site occupancy of N306 in Fab glycosylated mAb



MAbPac column

| Format | Length (mm) | Column ID (μm) | Part number |
|-----------------|-------------|----------------|-------------|
| Top-down column | 150 | 150 | ES907 |







EASY-Spray accessories



Additional reading

Learn more at thermofisher.com/lowflowlc



For the best performance from your EASY-Spray column consider investing in these accessories.



Thermo Scientific™ Acclaim™ PepMap™ traps

| Description | Union type | Particle size (µm) | Column ID (µm) | Media bed length (mm) | Trap length (mm) | Part number |
|---------------------------|------------------|-----------------------|-------------------|-----------------------------|------------------------|----------------|
| PepMap Neo Trap Cartridge | N/A | 5 | 300 | 5 | N/A | <u>174500</u> |
| PepMap nanotrap 500 bar | Nut/sleeve | 5 | 100 | 20 | 150 | 164199 |
| PepMap nanotrap 500 bar | Double nanoViper | 5 | 100 | 20 | 150 | 164750 |
| PepMap nanotrap 500 bar | Double nanoViper | 3 | 75 | 20 | 150 | <u>164535</u> |
| PepMap nanotrap 1200 bar | Double nanoViper | 3 | 75 | 20 | 70 | 164946 |
| PepMap nanotrap 500 bar | Nut/sleeve | 5 | 200 | 20 | 150 | 164213 |

PEEK Tubing and trap holder

| Description | For use with | Part number |
|--|-------------------------|----------------|
| PEEK with nanoViper fittings 30 μm X 100 mm 2PK 1500 bar | Low flow DonMon columns | <u>174501</u> |
| Trap holder + nanoViper fittings kit 1500 bar | Low-flow PepMap columns | 174502 |



Reference guide:

Low-flow chromatography consumables reference guide for LC-MS proteomics research



Flver:

Low-flow HPLC columns. Enabling high sensitivity LC-MS analysis for bottom-up and top-down proteomics research

Double nanoViper columns



The Thermo Scientific[™] Viper[™] and Thermo Scientific[™] nanoViper[™] Fingertight Fitting Systems provide tool-free connections designed to be used for the entire fluidic pathway in LC systems to improve chromatographic results.

Virtually without any dead-volume, Viper and nanoViper fittings combine usability with high performance. Viper and nanoViper

connections can be used on all standard LC modules, valves, and columns quickly, independent of different connection geometries and system backpressures. Dedicated capillary kits for standard LC system configurations and application-specific setups enable high qualitative and reproducible results for all flow rates and pressure ranges.

Choose these columns when:

- · Maximum flexibility is required
- Changing the emitter and column independently is important



What makes these columns special?


These stand-alone nano-, capillary, and micro-flow columns are:

- Designed with single nanoViper and double nanoViper fingertight fittings for trouble-free connection
- For robust separation in proteomics research, drug discovery, and highthroughput proteomics laboratories!



Product specifications:

Viper and nanoViper Fingertight Fitting Systems





Video:

Discover a better LC connection



Double nanoViper columns



Double nanoViper PepMap Neo UHPLC columns Bottom-up columns




Additional reading


Learn more at thermofisher.com/lowflowlc



Separate challenging peptide mapping samples with Thermo Scientific™ Double nanoViper™ PepMap™ Neo UHPLC columns. These columns feature easy connectivity, high reproducibilty, and excellent separations. Our Neo columns are packed to higher pressure and provide 1500 bar pressure capability, improved column-to-column consistency,

and increased efficiency. The column media is manufactured and selected to exacting standards and packed at high pressure, resulting in enhanced peak symmetry, resolution, and column-to-column reproducibility that allows you to obtain greater sample coverage and sample insights.





Reproducible identification and quantification of HeLa peptides and proteins over 4 EASY-Spray PepMap Neo columns while using Vanquish Neo UHPLC system coupled with the Orbitrap Exploris 480 mass spectrometer.



Double nanoViper PepMap Neo columns

| Format | Length (mm) | Column ID (μm) | Part number |
|-------------------|-------------|----------------|-------------------|
| | 150 | 75 | DNV75150PN |
| Bottom-up columns | 500 | 75 | DNV75500PN |
| | 750 | 75 | DNV75750PN |



Double nanoViper columns Continued



MAbPac RP Cap HPLC columns

Top-down columns




Additional reading

Learn more at thermofisher.com/lowflowlc

Q

The Thermo Scientific MAbPac RP capillary column is best suited for the characterization of intact proteins in top-down protemics, clinical and anti-doping

applications where sample amount is limited or sensitivity is crucial.



Calculation of site occupancy of N306 in Fab glycosylated mAb



MAbPac column

| Format | Length (mm) | Column ID (µm) | Part number |
|-----------------|-------------|----------------|-------------|
| Top-down column | 150 | 150 | 164947 |







Double nanoViper columns Continued



LC-MS connection accessories and emitters



These emitters, nanoViper tubing kits, and unions offer easy connection from your LC system to an EASY-Spray source.



Acclaim PepMap traps and nanotraps

| Description | For use with | Part number |
|---------------------------------|----------------------------------|--------------|
| Two Viper unions | | 6040.2304 |
| NanoViper tubing 20 µm x 550 mm | Devile le mana Nine au cali mana | 6041.5260 |
| Emitter: 10 µm I.D. | Double nanoViper columns — | <u>ES993</u> |
| Emitter: 15 µm I.D | _ | <u>ES994</u> |

Traps and accessories




For the best performance from your double nanoViper column consider investing in these nanotraps.



Acclaim PepMap traps and nanotraps

| Description | Union type | Particle size (µm) | Column ID (μm) | Media bed length (mm) | Trap length (mm) | Part number |
|---------------------------|------------------|--------------------------|-------------------|-----------------------------|------------------------|----------------|
| PepMap Neo Trap cartridge | N/A | 5 | 300 | 5 | N/A | <u>174500</u> |
| PepMap nanotrap 500 bar | Nut/sleeve | 5 | 100 | 20 | 150 | <u>164199</u> |
| PepMap nanotrap 500 bar | Double nanoViper | 5 | 100 | 20 | 150 | <u>164750</u> |
| PepMap nanotrap 500 bar | Double nanoViper | 3 | 75 | 20 | 150 | 164535 |
| PepMap nanotrap 1200 bar | Double nanoViper | 3 | 75 | 20 | 70 | 164946 |
| PepMap nanotrap 500 bar | Nut/sleeve | 5 | 200 | 20 | 150 | 164213 |





Expect reproducible results with sample prep, columns and vials















UNITY LAB SERVICES

Don't see what you need? We would be happy to discuss your specific requirements. Please contact your local sales representative for custom orders.



Learn more at thermofisher.com/chromatographyconsumables

For Research Use Only. Not for use in diagnostic procedures. © 2022 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. All other trademarks are the property of their respective manufacturers. This information is presented as an example of the capabilities of Thermo Fisher Scientific products. It is not intended to encourage use of these products in any manners that might infringe the intellectual property rights of others. Specifications, terms and pricing are subject to change. Not all products are available in all locations. Please consult your local sales representatives for details. BR21443-LF-EN 0522

